


Components Overview

HP Engage Go 10" Mobile System



### Components Overview

### HP Engage Go 10" Mobile System



### Front View

1. Front-facing camera LED
2. Front-facing camera
3. Power button

Components Overview



HP Engage Go 10" Convertible System with Grip  
Rear View

- |    |  |     |  |
|----|--|-----|--|
| 1. | Rear-facing camera                     | 6.  | Power button   |
| 2. | Volume up/down                         | 7.  | 2 USB-C® 3.1 ports                                   |
| 3. | Fingerprint reader (Optional)**        | 8.  | Barcode scanner trigger buttons*                     |
| 4. | Pogo pin connector to convertible dock | 9.  | SIM Module   |
| 5. | NFC                                    | 10. | Ingenico Moby 5500M (Optional) <sup>1,***</sup>      |
|    |  | 11. | Barcode scanner upward or downward facing (Optional) |


\*Only available on select SKUs

\*\*Optional feature sold separately or as an add-on feature.

\*\*\*The Moby/5500M for HP Engage Go 10 is available for United States only and excludes integrated battery. No payment, integrated payment and payment ready available. Non-Ingenico One Gateways require Ingenico firmware updates.

<sup>1</sup>Not represented in the picture above.

Components Overview




HP Engage Go 10" Convertible System  
Rear View

- |    |  |    |                    |
|----|--|----|--------------------|
| 1. | Rear-facing camera                     | 6. | Power button       |
| 2. | Volume up/down                         | 7. | 2 USB-C® 3.1 ports |
| 3. | Fingerprint reader (Optional)**        | 8. | SIM Module         |
| 4. | Pogo pin connector to convertible dock |    |                    |
| 5. | NFC                                    |    |                    |

\*Only available on select SKUs

\*\*Optional feature sold separately or as an add-on feature.

### Components Overview



### HP Engage Go 10" Mobile System with Grip Rear View

- |    |                                 |     |  |
|----|---------------------------------|-----|--|
| 1. | Rear-facing camera              | 6.  | 2 USB-C® 3.1 ports                                   |
| 2. | Volume up/down                  | 7.  | Barcode scanner trigger buttons*                     |
| 3. | Fingerprint reader (Optional)** | 8.  | SIM Module   |
| 4. | NFC                             | 9.  | Ingenico Moby 5500M (Optional)***                    |
| 5. | Power button                    | 10. | Multi-Charger pogo connector                         |
|    |                                 | 11. | Barcode scanner upward or downward facing (Optional) |


\*Only available on select SKUs

\*\*Optional feature sold separately or as an add-on feature.

\*\*\*The Moby/5500M for HP Engage Go 10 is available for United States only and excludes integrated battery. No payment, integrated payment and payment ready available. Non-Ingenico One Gateways require Ingenico firmware updates.

Components Overview

HP Engage Go Convertible System  
Basic I/O Connectivity Base (Rear/Side View)




Basic I/O Connectivity Base components

- |                             |                        |
|-----------------------------|------------------------|
| 1. Cash drawer jack         | 7. USB Type-C® port    |
| 2. Power connector          | 8. RJ-45 network jack  |
| 3. USB Type-C® power port   | 9. Security cable slot |
| 4. Powered serial ports (3) | 10. Headset jack       |
| 5. USB 2.0 ports (4)        |                        |
| 6. USB 3.0 ports (2)        |                        |

IMPORTANT: To avoid damage to the computer, DO NOT plug a telephone cable into the cash drawer jack.

Advanced I/O Connectivity Base (Rear/Side View)



Advanced I/O Connectivity Base components

- |                               |                         |
|-------------------------------|-------------------------|
| 1. Cash drawer jack           | 7. USB 3.0 ports (4)    |
| 2. Powered USB 12 V ports (2) | 8. USB Type-C® port     |
| 3. Powered USB 24 V port      | 9. RJ-45 network jack   |
| 4. Power connector            | 10. Security cable slot |
| 5. USB Type-C® power port     | 11. Headset jack        |
| 6. Powered serial ports (2)   |                         |

IMPORTANT: To avoid damage to the computer, DO NOT plug a telephone cable into the cash drawer jack.

Components Overview

Overview

HP Engage Go 10"? Case



Model

HP Engage Go 10"? Case

39F09AA

Increase HP Engage Go10 Mobile drop specification from 3 feet (1m) to 4 feet (1.2m)\*,\*\*,\*\*\*  
Attach points for shoulder or wrist strap (straps included with Case)

Dimensions:  
249.5 x 186 x 27.12 mm  
24.95 x 18.6 x 2.71 cm  
9.82 x 7.32 x 1.07 in

Weight:  
HP Engage Go 10 Case:  
89.7g  
.20 lbs  
HP Engage Go 10 Case with optional grip for HP Engage Go 10"? Convertible System:  
139.1 g  
.31 lbs

\* MIL-STD-810H testing is not intended to demonstrate fitness of U.S. Department of Defense (DoD) contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack.  
\*\* HP Total Test Process test results are not a guarantee of future performance under these test conditions. Accidental damage



Overview

requires an optional HP Accidental Damage Protection Care Pack. Select third party wipes can be safely used to clean the HP Engage Go 10 up to 10,000 wipes: See wipe manufacturer's instructions for disinfecting and the HP cleaning guide for HP tested wipe solutions at <https://h20195.www2.hp.com/v2/GetDocument.aspx?docname=4AA7-7610ENW>  
How to Sanitize Your HP Device Whitepaper. <https://h20195.www2.hp.com/v2/GetDocument.aspx?docname=4AA7-7610ENW>  
\*\*\*Accessories sold separately.

HP Engage Go 10"? Rugged Case



Model

HP Engage Go 10 Rugged Case

39F10AA

Increase HP Engage Go 10"? Mobile System drop specification from 3 feet (1m) to 6 feet (1.8m)\*,\*\*  
IP 65 rating\*\*\*  
Integrated rotating hand strap  
Integrated kickstand

Dimensions:  
249.5 x 186 x 29.12 mm  
24.95 x 18.6 x 2.91 cm  
9.82 x 7.32 x 1.14 in

Weight:

Overview

HP Engage Go 10 Rugged Case:

285g

0.63lbs

HP Engage Go 10 Rugged Case with optional POS Cover for HP Engage Go 10” Convertible System:

340g

0.75lbs

\* MIL-STD-810H testing is not intended to demonstrate fitness of U.S. Department of Defense (DoD) contract requirements or for military use. Test results are not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack.

\*\* HP Total Test Process test results are not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack. Select third party wipes can be safely used to clean the HP Engage Go 10 up to 10,000 wipes: See wipe manufacturer's instructions for disinfecting and the HP cleaning guide for HP tested wipe solutions at How to Sanitize Your HP Device Whitepaper. <https://h20195.www2.hp.com/v2/GetDocument.aspx?docname=4AA7-7610ENW>

\*\*\*Up to 6 foot drop protection and IP65 rating; IP65 rating on HP Engage Go 10 Mobile System with case and optional payment is void. Test results are not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack.



Model

HP Engage Go 10 Multi-Charger

307N5AA

Simultaneously charge up to (4) four HP Engage Go 10” Mobile Systems

Place on a table or mount to a wall with the optional bracket

Three (3) different top cover options to support with or without cases

Dimensions:

198.96 x 206.96 x 68.42 mm

### Overview

Weight:  
1123.5g (2.48 lbs)

With HP Engage Go 10 Case Cover  
1006 g (2.22 lbs)

With wall bracket:  
Dimensions:  
152.7 x 206.98 x 189.38 mm

Weight:  
1496g (3.30 lbs)

With HP Engage Go 10 Case Cover  
1380g (3.04 lbs)

### HP Engage Go Dock



- 10 degree tilt adjustability (angle is set between 50 and 60 degrees)

### Overview

- 180 degree swivel in either direction
- Choice of standard or printer column
- HP Smart Dock (locking, unlocking)
- Push release button with LED (Amber, White, Green) for unlocking
- Pogo pin interface (power, USB, video), magnet-assisted connection with tablet
- Stability plate (attaches to HP Advanced and Basic Connectivity Base)
- Optional countertop mounting bracket
- Configurable with connectivity base
- Ebony Black or Ceramic White color

#### Dimensions (W X D X H)

Convertible Dock (standard column)

28.39 x 16.17 cm x 24.53 cm (283.9 x 161.7 mm x 245.3 mm)

11.18 x 6.37 in x 9.66 in

9.60 cm diameter (96 mm)

3.78 in diameter

Convertible Dock (printer column)

28.39 x 16.17 cm x 28.52 cm (283.9 x 161.7 mm x 285.2 mm)

11.18 x 6.37 in x 11.23 in

9.60 cm diameter (96 mm)

3.78 in diameter

#### Weight (Grams, lbs.)

Convertible Dock (standard column)

2480g (5.49lbs)

## HP Engage Go 10 Mobile

- Windows® 10 Pro 64<sup>8,9</sup>, Windows® 10 IoT Enterprise 2019 LTSC 64-Value<sup>9</sup>, FreeDOS
- 11<sup>th</sup> Generation Intel® Core™ i3-1110G4 & Intel® Core™ i5-1140G7 Processor<sup>1</sup>
- 10" diagonal, WUXGA+ (1800 x 1200), touch, IPS, Corning® Gorilla® Glass 5, 400 nits, 45% NTSC M.2 2230 solid state drives
- Soldered down LPDDR4x memory
- 2-cell long life, 38Whr Long Life Polymer with HP Fast Charging<sup>5</sup>
- 802.11 ax Wi-Fi (2x2)
- Bluetooth® 5.1 connectivity (combo card with Wi-Fi)
- LTE/HSPA+ with GPS WWAN options available<sup>7</sup>
- NFC
- Optional integrated Ingenico Moby 5500M (US only)<sup>6</sup>, Fingerprint reader and barcode scanner<sup>2,3</sup>
- IP 54 rating<sup>4</sup>
- Ebony Black or Ceramic White color

<sup>1</sup>Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

<sup>2</sup>Accessories sold separately.

<sup>3</sup>HP Engage Go 10 with optional Payment will void IP rating. Optional payment available in US only. Test results are not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Service.

<sup>4</sup>IP54: Test results are not a guarantee of future performance under these test conditions. Accidental damage requires an optional HP Accidental Damage Protection Care Pack. HP Engage Go 10 Mobile System is IP54 rated. If unit has optional payment device IP rating goes down to IP40.

<sup>5</sup>Recharges the battery up to 50% within 30 minutes when the system is off or in standby mode. Power adapter with a minimum capacity of 65 watts is required. After charging has reached 50% capacity, charging will return to normal. Charging time may vary +/-10% due to System tolerance.

<sup>6</sup>The Moby/5500M for HP Engage Go 10 is available for United States only and excludes integrated battery. No payment, integrated payment and

Overview

payment ready available. Non-Ingenico One Gateways require Ingenico firmware updates.  
<sup>7</sup>LTE/HSPA+ WWAN options available (not available with barcode scanner).  
<sup>8</sup>Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See <http://www.windows.com>  
<sup>9</sup>Microsoft Device Guard and Credential Guard are available with Windows 10 IoT Enterprise delivered from HP or to customers with a volume license to use Windows 10 Enterprise. Microsoft Device Guard and Credential Guard are not available with Windows 10 Pro. The installation of Windows 10 Enterprise and Microsoft Device Guard and Credential Guard are available through HP Configuration & Deployment Services.

DIMENSIONS AND WEIGHT

Dimensions (W X D X H)

Base Height  
15.5 cm (155 mm)  
6.10 in  
Height from base to top of HP Engage Go 10” Mobile System  
When tilted down

- 27.4 cm
- 274 mm
- 10.78 in

When tilted up

- 27.28 cm
- 272.8 mm
- 10.74 in

32.81 x 23.36 x 2.13 cm (328.1 x 233.6 x 21.3 mm)  
12.91 x 9.19 x .83 in (landscape orientation, case not included)  
Retail Tablet  
Tablet only:  
23.95 x 17.6 x 1 cm (flat option); 23.95 x 17.6 x 2.24 cm (grip option)  
9.43 x 6.92 x 0.4 in (flat option); 9.43 x 6.92 x 0.88 in (grip option)

(landscape orientation, case included)  
Retail Tablet

TBD

Weight (Grams, lbs.)

Retail Tablet (case not included)  
726.4 g (1.6lbs)\*

Retail Tablet with HP Engage Go 10 Case\*  
816.1g (1.80 lbs) (grip option)  
865.5g (1.91 lbs) (flat option)

\* Starting weight. Weight will vary by configuration.

PORTS

### Overview

- (2) USB-C® 3.1 supports PD 2.0 and DP1.2 Alt mode
  - (1) pogo pin connector to convertible dock (select models)
  - (1) multi-charger pogo pin connector (select models)
- 

## SERVICE AND SUPPORT

3-year standard parts, labor and onsite limited warranty. Online technical support is available seven days a week, 24 hours a day. Certain restrictions and exclusions apply. Depending on country; 3-year limited warranty on primary battery. Optional HP Care Pack Services are extended service contracts which go beyond your standard warranties. Service levels and response times for HP Care Packs may vary depending on your geographic location. Restrictions and limitations apply. Service starts at date of hardware purchase. For details, visit <http://www.hp.com/go/cpc>.

**NOTE:** Certain restrictions and exclusions apply. Consult the HP Customer Support Center for details.  
<http://h20000.www2.hp.com/bizsupport/TechSupport/ProductRoot.jsp>

---

## Features

## OPERATING SYSTEM

**Preinstalled**

Windows 10 Professional (64-bit)\*

Windows 10 IoT Enterprise 2019 LTSC 64-bit\*,\*\*

FreeDOS

**Certified:** SUSE Linux Enterprise Desktop YES Certified

<https://www.suse.com/nbswebapp/yesBulletin.jsp?bulletinNumber=147394>

<https://www.suse.com/nbswebapp/yesBulletin.jsp?bulletinNumber=147325>

\* Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See <http://www.windows.com>.

\*\*Microsoft Device Guard and Credential Guard are available with Windows 10 IoT Enterprise delivered from HP or to customers with a volume license to use Windows 10 Enterprise. Microsoft Device Guard and Credential Guard are not available with Windows 10 Pro. The installation of Windows 10 Enterprise and Microsoft Device Guard and Credential Guard are available through HP Configuration & Deployment Services.

## PROCESSOR

Intel® 11<sup>th</sup> generation Core™ processors

- Intel® Core™ i3-1110G4 with Intel® UHD Graphics (up to 3.9 GHz with Intel® Turbo Boost Technology, 6 MB L3 cache, 2 cores, 4 threads)
- Intel® Core™ i5-1140G7 with Intel® Iris® Xe Graphics (up to 4.20 GHz with Intel® Turbo Boost Technology, 8 MB L3 cache, 4 cores, 8 threads), supports Intel® vPro® Technology

\* Chipset is integrated with processor.

\* Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

\* Intel® Turbo Boost technology requires a PC with a processor with Intel Turbo Boost capability. Intel Turbo Boost performance varies depending on hardware, software and overall system configuration. See [www.intel.com/technology/turboboost](http://www.intel.com/technology/turboboost) for more information.

\*For full Intel® vPro® functionality, Windows 10 Pro 64 bit, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN and/or WLAN card and TPM 2.0 are required. Some functionality requires additional 3rd party software in order to run. See <http://intel.com/vpro>

\* Intel® Iris® Xe Graphics capabilities require system to be configured with Intel® Core™ i5 or i7 processors and dual channel memory. Intel® Iris® Xe Graphics with Intel® Core™ i5 or i7 processors and single channel memory will only function as UHD graphics.

## MEMORY\*\*

Features

Memory Soldered Down

- LPDDR4X 4266:
- 4096MB Total System Memory
- 8192MB Total System Memory
- 16384MB Total System Memory

\* Onboard memory not customer accessible/upgradeable  
\*\*For systems configured with more than 3 GB of memory and a 32-bit operating system, all memory may not be available due to system resource requirements. Addressing memory above 4 GB requires a 64-bit operating system. Actual data rate is determined by the system's configured processor. See processor specifications for supported memory data rate.

STORAGE

Internal Storage Device

- Supports M.2 SSD 2230
- 128GB PCIe NVMe Value
- 256GB PCIe NVMe Value

\* For hard drives and solid state drives, GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 36 GB (for Windows 10) of system disk is reserved for the system recovery software.

DISPLAY

Internal

- 10" diagonal, WUXGA+ (1800 x 1200), touch, IPS, Corning® Gorilla® Glass 5, 400 nits, 45% NTSC<sup>1</sup>
- Display response time: 27ms (typ.) & 35ms (max)
- Contrast Ratio: 1200:1
- Refresh Rate: 60Hz

Features:

- 1800 x 1200 High Definition \* resolution\*\*
- 3:2 aspect ratio
- Brightness (typical) - 340 nits (cd/m²)\*\*\*
- 10-point capacitive touch solution, direct bonding
- Anti-smudge with Corning® Gorilla® Glass 5

\*High definition (HD) content is required to view high-definition images  
\*\*Resolutions are dependent upon monitor capability, and resolution and color depth settings.  
\*\*\* All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower.  
<sup>1</sup> Actual brightness will be lower with touch screen.

GRAPHICS



### Features

Intel® Iris® X? Graphics with shared video memory\*

\*Shared video memory (UMA) uses part of the total system memory for video performance. System memory dedicated to video performance is not available for other use by other programs.

\*Intel® Iris® Xe Graphics capabilities require system to be configured with Intel® Core™ i5 or i7 processors and dual channel memory. Intel® Iris® Xe Graphics with Intel® Core™ i5 or 7 processors and single channel memory will only function as UHD graphics.

## NETWORKING/COMMUNICATIONS

### Integrated Wi-Fi\*

Intel® Harrison Peak2 22560 802.11a/b/g/n/ac/ax (2x2) WiFi and Bluetooth® 5.1 Combo vPro®

Intel® Harrison Peak2 22560 802.11a/b/g/n/ac/ax (2x2) WiFi and Bluetooth® 5.1 Combo non-vPro®

WLAN Antennas (2) (configured with panel on all units)

Bluetooth® Disabled IOPT

Support for Miracast

Supports WLAN/LAN/WWAN switching

Support HP Connection Optimizer

Support S4 Wake on Wireless LAN

Support for DYNAMIC WiFi SAR in BIOS

Disclaimer required to document that Dynamic Regulatory Solution, will auto-change AC WLAN to abgn by passive scan when entering Indonesia.

**NOTE:** In Android 8.1 product release WWAN is not supported

### WWAN\*\*,\*\*

Intel® XMM™ 7360 LTE Advanced CAT 9

SIM Module: (user-accessible on side of slate) (4FF/nano SIM). (SIM module installed in factory when Service Provider is configured)

WWAN Antennas (2)

WWAN cards are compatible with a programmable removable eSIM

WWAN and BCS configurations are mutually exclusive

### NFC

NXP NPC300 Near Field Communication Module

\*Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 6 (802.11ax) is backwards compatible with prior 802.11 specs. The specifications for Wi-Fi 6 are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11ax WLAN devices. Only available in countries where 802.11ax is supported.

\*\* WWAN is an optional feature, requires factory configuration and separately purchased service contract. Check with service provider for coverage and availability in your area. 4G LTE not available on all products, in all regions.

\*\*\*LTE/HSPA+ WWAN options available (not available with barcode scanner).

<sup>1</sup>vPro® is only supported on the HP Engage Go Mobile (Intel® Core™ i5-7Y57 processor) in wireless mode when configured with the Intel WLAN AX201 with vPro® Card

**NOTE:** In Android 8.1 product release vPro® is not supported

## AUDIO/MULTIMEDIA

Features

Audio

HD Audio  
Audio Solution Codec ALC3247  
Stereo Speakers (1)

Cameras

RGB Camera:  
Front facing camera 2MP with webcam LED indicator  
Back Camera: 8MP  
IR Camera

Sensors

Accelerometer  
Gyroscope  
Ambient light sensor  
Magnetometer

POWER

Power Supply

HP 65W USB Type-C® AC Adapter non-PFC, Length: DC = 1.8m - Supports HP Fast Charging\*\*

Battery\*

2-cell Long Life Polymer 38Whr-support fast charging\*\*,\*\*\*\*  
Battery life: Up to 9 hours\*\*\*

\*Windows 10 MM18 Battery life will vary depending on various factors including product model, configuration, loaded applications, features, use, wireless functionality, and power management settings. The maximum capacity of the battery will naturally decrease with time and usage. See <http://www.bapco.com/> for additional details.

\*\*Recharges the battery up to 50% within 30 minutes when the system is off or in standby mode. Power adapter with a minimum capacity of 65 watts is required. After charging has reached 50% capacity, charging will return to normal. Charging time may vary +/-10% due to System tolerance.

\*\*\* Battery life not including payment. Windows 10 MM18 battery life will vary depending on various factors including product model configuration, loaded applications, features, use, wireless functionality, and power management settings. The maximum capacity of the battery will naturally decrease with time and usage. See [www.bapco.com](http://www.bapco.com) for additional details.

\*\*\*\*Actual battery Watt-hours (Wh) will vary from design capacity. Battery capacity will naturally decrease with shelf life, time, usage environment, temperature, system configuration, loaded apps, features, power management settings and other factors.

Features

Barcode scanner

Image Sensor		1280*800 CMOS
Illumination		White LED
Aiming		650nm laser
Scan Angle		Roll: 360°, Pitch ±60°, Skew±60°
Field of View		Horizontal 42°, Vertical 28°
Symbologies	2D	PDF 417, QR Code, Micro QR, Data Matrix, Aztec, Maxicode, GM Code, Chinese Sensible Code, Micro PDF417, CodeOne
	1D	Code 11, Code 128, Code 39, GS1 128 (UCC/EAN-128), AIM 128, Codabar, ISBT 128, Code 93, UPC-A, UPC-E, Coupon, GS1 Composite, EAN-13, EAN-8, ISSN, ISBN, Interleaved 2 of 5, Matrix 2 of 5, ITF14, ITF6, Industrial 25, Standard 25, China Post 25, MSI Plessey, Plessey, GS1 Databar (RSS), Code 49, Code 16k
	Postal Code	USPS Postnet, Royal Mail, USPS Planet, KIX Post, Australian Postal
	OCR	Passport MRZ (OCR-B)

Typical Depth of Field

EAN-13	75-400mm (13 mil)
Code 39	100-250mm (5mil)
PDF417	80-225mm (6.7mil)
Data Matrix	75-215mm (10 mil)
QR Code	45-295mm (15 mil)

<sup>1</sup> Barcode quality and environmental conditions may affect performance.

### Technical Specifications

## SOFTWARE AND SECURITY

### BIOS

HP BIOSphere Gen6<sup>9</sup>  
Secure Erase  
Absolute Persistence Module<sup>1</sup>  
Allow BIOS Rollback  
HP DriveLock & Automatic DriveLock  
Hardware Root of Trust  
HP BIOS Protection (NIST 800-147)  
HP SpareKey  
Hybrid Boot  
Master Record Security  
Measured Boot  
Power On Authentication  
Pre-Boot Security

### Connectivity

HP MAC Address Manager  
HP Connection Optimizer

### Platform Enabling Apps & Support

HP 3D DriveGuard \*  
HP Hotkey Support  
HP Notifications  
HP LAN/WLAN/WWAN switching  
HP Power Manager \* (w/ thermals support)

### Microsoft Products

Buy Office  
Bing Search

### Client Security Software

HP Client security Gen7<sup>6</sup>  
Intel Authenticate v2.5  
HP Sure Start Gen7<sup>8</sup>  
HP Sure Recover Gen 4<sup>15</sup>  
HP Sure Run Gen 4<sup>15</sup>

HP Multi-Factor Authenticate  
HP Sure Admin Gen 1  
HP vPro® Support<sup>11,12,13</sup>

### Manageability

Intel vPro® (Core i5 SKU only)

### Technical Specifications

HP Smart Dock  
HP Client Security Gen 7  
HP MAC Address Manager  
HP PC Hardware Diagnostics  
HP Hardware Diagnostics Windows  
Discover HP Touchpoint Manager  
HP Driver Packs (quarterly)<sup>3</sup>  
HP System Software Manager (SSM)<sup>3</sup>  
HP BIOS Config Utility (BCU)<sup>3</sup>  
HP Client Catalog<sup>3</sup>  
HP Client Integration Kit (CIK)  
HP Client Security & Intel Authenticate  
Microsoft Device Guard<sup>10</sup>  
Credential Guard<sup>10</sup>  
TPM config management  
HP Audio Control  
HP Power Manager  
HPIA Integration & Recipes  
Recipes  
HP MIK for Microsoft SCCM Gen 5<sup>5</sup>  
HP Image Assistant Gen6

For more information on HP Client Management Solutions refer to: <http://www.hp.com/go/clientmanagement>.

#### Standard

TPM 2.0 SLB9670 (Infineon; soldered down)  
Drive encryption pre-boot (Password)

#### Optional

HP Fingerprint Reader<sup>14</sup>

1. BIOS Absolute Persistence module is shipped turned off, and will be activated when customers purchase and activate a subscription. Service may be limited. Check with Absolute for availability outside the U.S. The optional subscription service of Absolute Recovery Guarantee is a limited warranty. Certain conditions apply. For full details visit: <http://www.absolute.com/company/legal/agreements/computrace-agreement>. If Data Delete is utilized, the Recovery Guarantee payment is null and void. In order to use the Data Delete service, customers must first sign a Pre-Authorization Agreement and either create a PIN or purchase one or more RSA SecurID tokens from Absolute Software.
2. Skype is not offered in China.
3. Not preinstalled, however available for download at <http://www.hp.com/go/clientmanagement>
4. Requires Windows and Internet Access
5. HP Manageability Integration Kit can be downloaded from <http://www8.hp.com/us/en/ads/clientmanagement/overview.html>
6. Requires Windows and Intel®.
7. HP Sure Click is available on select HP platforms and supports Microsoft® Internet Explorer, Google Chrome, and Chromium™. Supported attachments include Microsoft Office (Word, Excel, PowerPoint) and PDF files in read only mode. Check <http://h20195.www2.hp.com/v2/GetDocument.aspx?docname=4AA7-0922ENW> for all compatible platforms as they become available.
8. HP Sure Start Gen7 is available on the HP Engage Go Convertible equipped with 11th generation Intel® processors.
9. HP BIOSphere Gen4 is available on the HP Engage Go Mobile equipped with 7th generation Intel® processors.
10. Microsoft Device Guard and Credential Guard are available with Windows 10 IoT Enterprise delivered from HP or to customers with a volume license to use Windows 10 Enterprise. Microsoft Device Guard and Credential Guard are not available with Windows 10 Pro. The installation of Windows 10 Enterprise and Microsoft Device Guard and Credential Guard are available through HP Configuration & Deployment Services.
11. HP Sure Run, Sure Recover is supported on Win 10 Pro & Win 10 IoT Enterprise 2019 LTSC.
12. vPro® support also requires a vPro WLAN Card for these products
13. vPro® enablement is a separate option on some products
14. Optional feature sold separately or as an add-on feature.
15. HP Sure Run, Sure Recover is supported on Win 10 Pro & Win 10 IoT Enterprise 2019 LTSC.

Technical Specifications

TEMPERATURE, HUMIDITY, ALTITUDE

Temperature	Operating	41° to 95° F (5 to 35° C)
	Non-operating	-4° to 140° F (-20°to 60° C)
Relative humidity (noncondensing)	Operating	10 to 90%
Shock	Operating	40G, 2ms, half-sine wave
	Non-operating	240G, 2ms, half-sine wave
Random Vibration	Operating	1.043grms
	Non-operating	3.5grms
Altitude (unpressurized)	Operating	-50 to 10,000 ft (-15 to 3,048 m)
	Non-operating	-50 to 40,000 ft (-15 to 12,192 m)

ENVIRONMENTAL DATA

Eco-Label Certifications & declarations	This product has received or is in the process of being certified to the following approvals and may be labeled with one or more of these marks: <ul style="list-style-type: none"><li>IT ECO declaration</li><li>US ENERGY STAR®</li><li>US Federal Energy Management Program (FEMP)</li><li>EPEAT<sup>2</sup> Gold registered in the United States. See <a href="http://www.epeat.net">http://www.epeat.net</a> for registration status in your country.</li><li>China Energy Conservation Program (CECP)</li><li>China State Environmental Protection Administration (SEPA)</li><li>Taiwan Green Mark</li><li>Korea Eco-label</li><li>Japan PC Green label*</li></ul>		
Sustainable Impact Specifications	<ul style="list-style-type: none"><li>15% post-consumer recycled plastic</li><li>Low halogen</li><li>Outside Box and corrugated cushions are 100% sustainably sourced and recyclable</li><li>Recycled Plastic cushions</li><li>Bulk packaging available</li></ul>		
System Configuration	The configuration used for the Energy Consumption and Declared Noise Emissions data for the Notebook model is based on a "Typically Configured Notebook".		
Energy Consumption (in accordance with US ENERGY STAR® test method)	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	4.81 W	4.89 W	4.67 W
Normal Operation (Long idle)	0.74 W	0.78 W	0.75 W
Sleep	0.74 W	0.78 W	0.75 W
Off	0.31 W	0.35 W	0.31 W
	<b>NOTE:</b> Energy efficiency data listed is for an ENERGY STAR® compliant product if offered within the model family. HP computers marked with the ENERGY STAR® Logo are compliant with the applicable U.S. Environmental Protection Agency (EPA) ENERGY STAR® specifications for computers. If a model family does not offer ENERGY STAR® compliant configurations, then energy efficiency data listed is for a typically configured PC featuring a hard disk drive, a high efficiency power supply, and a Microsoft Windows® operating system.		

### Technical Specifications

Heat Dissipation*	115VAC, 60Hz	230VAC, 50Hz	100VAC, 50Hz
Normal Operation (Short idle)	16.5 BTU/hr	16.7 BTU/hr	16 BTU/hr
Normal Operation (Long idle)	2.5 BTU/hr	2.7 BTU/hr	2.6 BTU/hr
Sleep	2.5 BTU/hr	2.7 BTU/hr	2.6 BTU/hr
Off	1.1 BTU/hr	1.2 BTU/hr	1.1 BTU/hr
	<b>NOTE:</b> Heat dissipation is calculated based on the measured watts, assuming the service level is attained for one hour.		
<b>Declared Noise Emissions (in accordance with ISO 7779 and ISO 9296)</b>	Sound Power (L <sub>WAd</sub> , bels)	Sound Pressure (L <sub>pAm</sub> , decibels)	
Typically Configured - Idle	2.6	14.4	
Fixed Disk - Random writes	2.6	14.5	
Optical Drive - Sequential reads	2.6	14.5	
Longevity and Upgrading	This product can be upgraded, possibly extending its useful life by several years. Upgradeable features and/or components contained in the  Spare parts are available throughout the warranty period and or for up to "5"? years after the end of production.		
<b>Additional Information</b>	<ul style="list-style-type: none"><li>• This product is in compliance with the Restrictions of Hazardous Substances (RoHS) directive - 2011/65/EC.</li><li>• This HP product is designed to comply with the Waste Electrical and Electronic Equipment (WEEE) Directive - 2002/96/EC.</li><li>• This product is in compliance with California Proposition 65 (State of California; Safe Drinking Water and Toxic Enforcement Act of 1986).</li><li>• This product is in compliance with the IEEE 1680 (EPEAT) standard at the Gold level, see <a href="http://www.epeat.net">www.epeat.net</a></li><li>• Plastics parts weighing over 25 grams used in the product are marked per ISO11469 and ISO1043.</li><li>• This product is 97.4% recycle-able when properly disposed of at end of life.</li></ul>		
HP Engage Go 10 Single-unit (including stand) Packaging:			
<b>Packaging Materials</b>	<b>External:</b>	PAPER/Corrugated	1,010 grams
	<b>Internal:</b>	PAPER/ Corrugated	792 grams
		PLASTIC/Polyethylene Expanded - EPE	179 grams
		PLASTIC/Polyethylene low density - LDPE	27 grams
HP Engage Go 10 Head-unit Only (with Optional detached Hub) Packaging:			
<b>Packaging Materials</b>	<b>External:</b>	PAPER/Corrugated	360 grams
	<b>Internal:</b>	PAPER/ Corrugated	361 grams
		PLASTIC/Polyethylene Expanded - EPE	61 grams
		PLASTIC/Polyethylene low density - LDPE	19 grams
	The plastic packaging material contains at least 100% recycled content.		
The corrugated paper packaging materials contains at least 14.9% recycled content.			
<b>RoHS Compliance</b>	HP Inc. complies fully with materials regulations. We were among the first companies to extend the restrictions in the European Union (EU) Restriction of Hazardous Substances (RoHS) Directive to our products worldwide through the HP GSE. HP has contributed to the development of related legislation in Europe, as well as China, India, and Vietnam.		

Technical Specifications

	<p>We believe the RoHS directive and similar laws play an important role in promoting industry-wide elimination of substances of concern. We have supported the inclusion of additional substances-including PVC, BFRs, and certain phthalates-in future RoHS legislation that pertains to electrical and electronics products.</p> <p>We met our voluntary objective to achieve worldwide compliance with the new EU RoHS requirements for virtually all relevant products by July 2013, and we will continue to extend the scope of the commitment to include further restricted substances as regulations continue to evolve.</p> <p>To obtain a copy of the HP RoHS Compliance Statement, see <a href="#">HP RoHS position statement</a>.</p>
Material Usage	<p>This product does not contain any of the following substances in excess of regulatory limits (refer to the HP General Specification for the Environment at <a href="http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/gse.pdf">http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/gse.pdf</a>):</p> <ul style="list-style-type: none"><li>• Asbestos</li><li>• Certain Azo Colorants</li><li>• Certain Brominated Flame Retardants - may not be used as flame retardants in plastics</li><li>• Cadmium</li><li>• Chlorinated Hydrocarbons</li><li>• Chlorinated Paraffins</li><li>• Formaldehyde</li><li>• Halogenated Diphenyl Methanes</li><li>• Lead carbonates and sulfates</li><li>• Lead and Lead compounds</li><li>• Mercuric Oxide Batteries</li><li>• Nickel - finishes must not be used on the external surface designed to be frequently handled or carried by the user.</li><li>• Ozone Depleting Substances</li><li>• Polybrominated Biphenyls (PBBs)</li><li>• Polybrominated Biphenyl Ethers (PBBEs)</li><li>• Polybrominated Biphenyl Oxides (PBBOs)</li><li>• Polychlorinated Biphenyl (PCB)</li><li>• Polychlorinated Terphenyls (PCT)</li><li>• Polyvinyl Chloride (PVC) - except for wires and cables, and certain retail packaging has been voluntarily removed from most applications.</li><li>• Radioactive Substances</li><li>• Tributyl Tin (TBT), Triphenyl Tin (TPT), Tributyl Tin Oxide (TBTO)</li></ul>
Packaging Usage	<p>HP follows these guidelines to decrease the environmental impact of product packaging:</p> <ul style="list-style-type: none"><li>• Eliminate the use of heavy metals such as lead, chromium, mercury and cadmium in packaging materials.</li><li>• Eliminate the use of ozone-depleting substances (ODS) in packaging materials.</li><li>• Design packaging materials for ease of disassembly.</li><li>• Maximize the use of post-consumer recycled content materials in packaging materials.</li><li>• Use readily recyclable packaging materials such as paper and corrugated materials.</li><li>• Reduce size and weight of packages to improve transportation fuel efficiency.</li><li>• Plastic packaging materials are marked according to ISO 11469 and DIN 6120 standards.</li></ul>
End-of-life Management and Recycling	<p>HP Inc. offers end-of-life HP product return and recycling programs in many geographic areas. To recycle your product, please go to: <a href="http://www.hp.com/go/reuse-recycle">http://www.hp.com/go/reuse-recycle</a> or contact your nearest HP sales office. Products returned to HP will be recycled, recovered or disposed of in a responsible manner.</p> <p>The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly</p>



Technical Specifications

	instructions) is posted on the Hewlett Packard web site at: <a href="http://www.hp.com/go/recyclers">http://www.hp.com/go/recyclers</a> . These instructions may be used by recyclers and other WEEE treatment facilities as well as HP OEM customers who integrate and re-sell HP equipment.
HP Inc. Corporate Environmental Information	For more information about HP's commitment to the environment:  Global Citizenship Report <a href="http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html">http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html</a> Eco-label certifications <a href="http://www8.hp.com/us/en/hp-information/environment/ecolabels.html">http://www8.hp.com/us/en/hp-information/environment/ecolabels.html</a> ISO 14001 certificates: <a href="http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/PC_GBU_Product_Design_ISO_14K_Certificate.pdf">http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/PC_GBU_Product_Design_ISO_14K_Certificate.pdf</a> and <a href="http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf">http://www.hp.com/hpinfo/globalcitizenship/environment/pdf/cert.pdf</a>
footnotes	<ul style="list-style-type: none"><li>• Percentage of ocean-bound plastic contained in each component varies by product</li><li>• Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.</li><li>• External power supplies, WWAN modules, power cords, cables and peripherals excluded.</li><li>• 100% outer box packaging and corrugated cushions made from sustainably sourced certified and recycled fibers.</li><li>• Fiber cushions made from 100% recycled wood fiber and organic materials.</li><li>• Plastic cushions are made from &gt;90% recycled plastic.</li></ul>

EPEAT® Gold<sup>1</sup>  
ENERGY STAR® certified\*\*  
Low halogen\*  
508 compliance  
Mercury-free display backlights and arsenic-free display glass  
All HP computing products are delivered by SmartWay carriers\*\*\*  
Recycled Packaging  
The plastic recycled content is equal to, or greater than 90%.  
The main cushions for the HP Engage Go 10" Mobile unit and HP Engage Go Dock stand are made from 100% recycled expanded polyethylene.

Eligible for free recycling or cash back through HP's Planet Partners Recycling and Consumer Buyback programs (<http://www.hp.com/go/easybuyback>)\*\*\*\*

HP Corporate Environmental Information

For more information about HP's commitment to the environment:  
Global Citizenship Report  
<http://www.hp.com/hpinfo/globalcitizenship/gcreport/index.html>  
Environment website: <http://www.hp.com/environment>

1. Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. EPEAT® status varies by country. Visit [www.epeat.net](http://www.epeat.net) for more information  
\* External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.  
\*\* ENERGY STAR® is a registered trademark of the U.S. Environmental Protection Agency.  
\*\*\* Designation based on actions to reduce transportation-related emissions. SmartWay: US only. (14e) Free recycling in select countries.  
\*\*\*\* Program may not be available in your area. Check <http://www.hp.com/go/recycling> to see if HP offers free recycling in your area

Technical Specifications

COUNTRY OF ORIGIN

China

Options and Accessories (sold separately and availability may vary by country)

Type	Description	Part #
Case	HP Engage Go 10"? Case	39F09AA
	HP Engage Go 10"? Rugged Case	39F10AA
Charging Station	HP Engage Go 10"? Multi-Charger	307N5AA
Docking	HP Engage Go Dock Black	5JG51AA
	HP Engage Go Dock White	5JG52AA
Input/Output	HP Engage Go Advanced I/O Connectivity Base	5LT84AA
	HP Engage Go Basic I/O Connectivity Base	5LT86AA
	HP Engage Go Advanced I/O Connectivity Base White	5LT85AA
	HP Engage Go Basic I/O Connectivity Base White	5LT87AA
Hub Covers	HP Engage One Hub Cover Black	5DS16AA
	HP Engage One Hub Cover White	5DS17AA
Mount Kits	HP Engage One Undercounter Mount Kit	5DS15AA
	HP Engage Go Tilt Mount*	9GF87AA
	HP Engage Go Fixed Mount*	9GF88AA
	HP Engage Go Height Adjustable Pole*	9GF89AA

\*HP Engage Go Tilt Mount, HP Engage Go Fixed Mount and HP Engage Go Height Adjustable Pole sold separately.

Summary of Changes

Date of change:	Version History:		Description of change:
September 10, 2021	From v1 to v2	Changed	ENVIRONMENTAL DATA section

title

Copyright © 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel, Pentium and Core m3 are registered trademarks or trademarks of Intel Corporation in the U.S. and/or other countries. Bluetooth is a trademark of its proprietor and used by HP Inc. under license. Microsoft and Windows are U.S. registered trademarks of the Microsoft group of companies. ENERGY STAR® is a registered mark owned by the U.S. Environmental Protection Agency. USB Type-C and USB-C are trademarks of USB Implementers Forum.SD, SDXC, and MicroSD, are trademarks or registered trademarks of SD-3C in the United States, other countries or both.